

- Adjust your air springs with your Android™ 4.3+ or Apple™ iOS 10.3+ mobile devices
- Three presets for rapid adjustment
- Independent & simultaneous air spring control
- Real time pressure feedback
- Easy installation
  - Preassembled control board & harness
  - No wires or airlines routed into the cab of the vehicle
  - No drilling or vehicle modification required.
- Universal fit
  - Bolts onto the frame rail of most truck currently on the market
  - Integrates into any onboard air, and air suspension system
- No limitations on preset or fill pressures up to 150 psi
- Two-year warranty



<b>Maximum Air Pressure</b>	10.3 bar (gauge) [150 psig]
<b>Continuous Air Temperature</b>	-40°C to +85°C [-40°F to +248°F]
<b>Ambient Temperature Range</b>	-40°C to +85°C [-40°F to +248°F]
<b>Supply Voltage</b>	12 VDC Nominal (9V - 14.5V)
<b>Current Draw (Standby Mode)</b>	30 mA
<b>Current Draw (Bluetooth Connected)</b>	40 mA
<b>Current Draw (Solenoids)</b>	1.5A each, 4.5A max.

<b>Mobile Device Operating System</b>	Android™ 4.3 or newer (Jellybean) Apple™ iOS 10.3 or newer
<b>Pressure Feedback Units</b>	PSI
<b>Pressure Feedback Accuracy</b>	±1


<b>Ingress Protection (Weatherproof)</b>	IP67 Controller and Connectors
--	--------------------------------

<b>Maximum Frame Size* (WxH)</b>	4.750 x 9.125" [120 x 232 mm]
----------------------------------	-------------------------------

\*Frame size refers to the cross sectional dimensions of the frame. At the time of this release, 4.750" x 9.125" is sufficient for any pickup truck currently on the market.


All information contained in this document is for reference only, subject to change without notice.

Control Board



A	B	C	D	WEIGHT	HARNESS LENGTH
277 mm 10.9 in	198 mm 7.8 in	257 mm 10.1 in	46 mm 1.8 in	3.4 kg 7.4 lb	7.6m 25 ft


Frame Bracket



A	B	C	D	E	F	G
266 mm 10.5 in	241 mm 9.5 in	13 mm .512 in	8.4 mm .332 in	28 mm 1.1 in	35.4 mm 1.4 in	13 mm .508 in

All information contained in this document is for reference only, subject to change without notice.

U-Bolt



A	B	C	Grade
241 mm 9.5 in	140 mm 5.5 in	3/8"-16 UNC	SAE No. 2 Equivalent

Legal

- Google Play and the Google Play logo are trademarks of Google LLC
- Android is a trademark of Google LLC
- The Android robot is reproduced or modified from work created and shared by Google and used according to terms described in the Creative Commons 3.0 Attribution License.
- Apple, the Apple logo, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc., registered in the U.S. and other countries.

All information contained in this document is for reference only, subject to change without notice.